## 510(k) Summary: Nephros OLpūr® H₂H Hemodiafiltration (HDF) Module and OLpūr MD 220 Hemodiafilter

Submitter:	Nephros Inc.
	41 Grand Ave, Suite 201
	River Edge, NJ 07661
	Establishment Registration # 3003337893
Contact Person	Gregory Collins Ph.D., V.P. of R&D
	41 Grand Ave, Suite 201
	River Edge, NJ 07661
	201-343-5202 (p)
	201-343-5207 (f)
•	collins@nephros.com
Date Prepared	August 10, 2011
Trade Name	Nephros OLpūr H₂H Hemodiafiltration (HDF) Module and OLpūr
	MD 220 Hemodiafilter
Proposed Class	Class II
Classification Name	21 CFR Part 876.5665 Water Purification System for
and Number	Hemodialysis; 21 CFR Part 876.5860 Dialyzer, High
	Permeability With or Without Sealed Dialysate System
Product Code	FIP, KDI
Predicate Devices	<ul> <li>Predicate for the Nephros MD 220 Hemodiafilter -</li> <li>Nephros OLpūr HD190 (K050603)</li> </ul>
	➤ Predicate for the H₂H Module with qualified UF- Controlled Hemodialysis Machine - Aksys PHD Personal Hemodialysis System (K010131)
	➤ Predicate for the H₂H Module in the stand-alone configuration - Aksys PHD Personal Hemodialysis System (K010131)
	➤ Predicates for the H₂H Substitution Fluid Filter — Nephros DSU Dual Stage Ultrafilter (K090885), Minntech

Renaguard Dialysate Filter (K945136), Gambro Diaclea	r
Ultrafilter (K003957), Fresenius Citric Acid Dialyzer	
Reprocessing (K974090)	

- Predicates for the H<sub>2</sub>H Water Filter Nephros DSU Dual Stage Ultrafilter (K090885), Minntech FiberFlo Hollow Fiber Capsule Water Filter (K983126)
- ➤ Predicates for the Disposable H₂H Infusion Line and Blood Tubing Extension Set - Codan IV Administration Sets (K033301), Nipro Blood Tubing Set w/Transducer Protector and Priming Set (K072024)

## **Device Description**

The H<sub>2</sub>H<sup>™</sup> Hemodiafiltration Module is a programmable electromechanical medical device designed to work in conjunction with and in close proximity to a hemodialysis machine during patient treatments. Upon installation, the H<sub>2</sub>H Module is placed next to the hemodialysis machine (which can be on either side depending upon type and model of the hemodialysis machine) and is connected to the clinic's water supply, drain, and electricity.

The  $H_2H$  Hemodiafiltration Module serves two basic functions. The Module's primary function is to generate on-line substitution fluid for hemodiafiltration. The  $H_2H$  Module does this by ultrafiltering dialysate, provided by the hemodialysis machine, through a reusable substitution filter. The secondary function of the  $H_2H$  Hemodiafiltration Module is to serve as a substitution filter reprocessing machine. These steps are performed when the  $H_2H$  Hemodiafiltration Module is not connected to the hemodialysis machine. More detailed descriptions of the device, its accessories and how the system functions can be found in Section 11 (Device Description) of this submission.

Intended Use  The OLpūr H <sub>2</sub> H Hemodiafiltration (HDF) Module is indicated for use, with a UF controlled hemodialysis machine that provides ultrapure dialysate in accordance with current ANSI/AAMI/ISO standards, for treatment of patients with chronic renal failure as prescribed by a physician. The OLpūr MD 220 Hemodiafilter is indicated for use for hemodiafiltration of patients with chronic renal failure. The OLpūr MD 220 Hemodiafilter is only to be used with the OLpūr H <sub>2</sub> H Hemodiafiltration Module. Selection of patients, as well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.  The ÓLpūr H <sub>2</sub> H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the  The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of the subject system as compared to approved high flux dialysis.		
ultrapure dialysate in accordance with current ANSI/AAMI/ISO standards, for treatment of patients with chronic renal failure as prescribed by a physician. The OLpūr MD 220 Hemodiafilter is indicated for use for hemodiafiltration of patients with chronic renal failure. The OLPūr MD 220 Hemodiafilter is only to be used with the OLpūr H <sub>2</sub> H Hemodiafiltration Module. Selection of patients, as well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.  The ÓLpūr H <sub>2</sub> H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the Technological Characteristics  The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of	Intended Use	The OLpūr H₂H Hemodiafiltration (HDF) Module is indicated for
standards, for treatment of patients with chronic renal failure as prescribed by a physician. The OLpūr MD 220 Hemodiafilter is indicated for use for hemodiafiltration of patients with chronic renal failure. The OLPūr MD 220 Hemodiafiltration Module. Selection of patients, as well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.  The ÓLpūr H <sub>2</sub> H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the Technological Characteristics  The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		use, with a UF controlled hemodialysis machine that provides
prescribed by a physician. The OLpūr MD 220 Hemodiafilter is indicated for use for hemodiafiltration of patients with chronic renal failure. The OLPūr MD 220 Hemodiafiltration Module. Selection of patients, as well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.  The ÓLpūr H <sub>2</sub> H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the Technological Characteristics  The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		ultrapure dialysate in accordance with current ANSI/AAMI/ISO
indicated for use for hemodiafiltration of patients with chronic renal failure. The OLPūr MD 220 Hemodiafilter is only to be used with the OLpūr H <sub>2</sub> H Hemodiafiltration Module. Selection of patients, as well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.  The ÓLpūr H <sub>2</sub> H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the Technological Characteristics  The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of	•	standards, for treatment of patients with chronic renal failure as
renal failure. The OLPūr MD 220 Hemodiafilter is only to be used with the OLpūr H₂H Hemodiafiltration Module. Selection of patients, as well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.  The ÓLpūr H₂H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H₂H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the Technological Characteristics  The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		prescribed by a physician. The OLpūr MD 220 Hemodiafilter is
used with the OLpūr H₂H Hemodiafiltration Module. Selection of patients, as well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.  The ÓLpūr H₂H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H₂H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		indicated for use for hemodiafiltration of patients with chronic
patients, as well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.  The ÓLpūr H₂H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H₂H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Data / Substantial	·	renal failure. The OLPūr MD 220 Hemodiafilter is only to be
medical decision and the responsibility of the prescribing physician.  The ÓLpūr H₂H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H₂H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the Technological The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		used with the OLpūr H <sub>2</sub> H Hemodiafiltration Module. Selection of
The ÓLpūr H₂H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H₂H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the Technological and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Nonclinical Performance performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		patients, as well as treatment operating parameters, are a
The ÓLpūr H <sub>2</sub> H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Data / Substantial  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		medical decision and the responsibility of the prescribing
conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		physician.
conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		
machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Data / Substantial		The ÓLpūr H₂H Hemodiafiltration (HDF) Module works in
concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Data / Substantial  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		conjunction with a qualified host (UF controlled) hemodialysis
substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		machine and it's accessories (i.e., bloodlines, dialysate,
extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of	,	concentrates, etc.), the H₂H Module accessories (water and
dialysate for hemodialysis, and a high permeability hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).  Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Data / Substantial  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		substitution fluid filters, infusion / rinse line, and optional blood
Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performance Data / Substantial  Characteristics  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of	,	extension line), appropriately prepared water and ultrapure
Summary of the The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non- clinical Performance Data / Substantial  The proposed device has the same technological characteristics and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		dialysate for hemodialýsis, and a high permeability hemodiafilter
Technological and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Data / Substantial and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		(i.e., the OLPūr MD 220 Hemodiafilter).
Technological and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Assessment of Non-clinical Performance Data / Substantial and is similar in design as compared to the predicate devices and already approved kidney dialysis therapy.  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		
Characteristics and already approved kidney dialysis therapy.  Assessment of Non- clinical Performance performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of	Summary of the	The proposed device has the same technological characteristics
Assessment of Non- clinical Performance Data / Substantial  Refer to Section 18 of this application for Bench Analyses performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of	Technological	and is similar in design as compared to the predicate devices
clinical Performance performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of	Characteristics	and already approved kidney dialysis therapy.
clinical Performance performed on the subject devices. Refer to Section 20 of this application for clinical data supporting substantial equivalence of		
Data / Substantial application for clinical data supporting substantial equivalence of	Assessment of Non-	Refer to Section 18 of this application for Bench Analyses
	clinical Performance	performed on the subject devices. Refer to Section 20 of this
Equivalence the subject system as compared to approved high flux dialysis.	Data / Substantial	application for clinical data supporting substantial equivalence of
	Equivalence	the subject system as compared to approved high flux dialysis.





APR 27 2012

Food and Drug Administration 10903 New Hampshire Avenue Document Control Room –WO66-G609 Silver Spring, MD 20993-0002

Greg Collins, Ph.D. V.P. of R&D Nephros, Inc. 41 Grand Ave. RIVER EDGE NJ 07661

Re: K112314

Trade/Device Name: Nephros OLPūr® H<sub>2</sub>H Hemodiafiltration (HDF) Module and

OLPūr MD 220 Hemodiafilter

Regulation Number: 21 CFR§ 876.5860

Regulation Name: High permeability hemodialysis system

Regulatory Class: II Product Code: KDI Dated: April 26, 2012 Received: April 27, 2012

## Dear Dr. Collins:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical

device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <a href="http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm">http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm</a> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to

http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm.

Sincerely yours,

Benjamin R. Fisher, Ph.D.

Director

Division of Reproductive, Gastro-Renal, and Urological Devices

and Urological Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

## **Indications for Use**

510(k) Number (if known): **K**\_112314

Device Name: Nephros OLPūr⊛H₂H Hemodiafiltration (HDF) Module and OLPūr MD 220 Hemodiafilter
Indications For Use:
The OLPūr H <sub>2</sub> H Hemodiafiltration (HDF) Module is indicated for use, with a UF controlle hemodialysis machine that provides ultrapure dialysate in accordance with current ANSI/AAMI/ISO standards, for treatment of patients with chronic renal failure as prescribed by a physician. The OLPūr MD 220 Hemodiafilter is indicated for use for hemodiafiltration of patients with chronic renal failure. The OLPūr MD 220 Hemodiafilter is only to be used with the OLpūr H <sub>2</sub> H Hemodiafiltration Module. Selection of patients, a well as treatment operating parameters, are a medical decision and the responsibility of the prescribing physician.
The OLPūr H <sub>2</sub> H Hemodiafiltration (HDF) Module works in conjunction with a qualified host (UF controlled) hemodialysis machine and it's accessories (i.e., bloodlines, dialysate, concentrates, etc.), the H <sub>2</sub> H Module accessories (water and substitution fluid filters, infusion / rinse line, and optional blood extension line), appropriately prepared water and ultrapure dialysate for hemodialysis, and a high permeability hemodialyzer / hemodiafilter (i.e., the OLPūr MD 220 Hemodiafilter).
Prescription UseX AND/OR Over-The-Counter Use (Part 21 CFR 801 Subpart D) (21 CFR 807 Subpart C)
(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)
Concurrence of CDRH, Office of Device Evaluation (ODE)
Deufann Sign-Off)
Division of Reproductive, Gastro-Renal, and Urological Devices
510(k) Number <u>メルマ31タ</u>